



Wall cladding Flashing details

Calder Stewart Roofing Corrugate, Hi Five and Six rib profiles are all suitable for wall cladding, and can be fixed either horizontally or vertically. Available in pre-painted or plain ZINCALUME[®] coated steel.

Internal Corner Details



Internal Corner Detail No 1 -
Square Box



Internal Corner Detail No 2 -
Square


External Corner Details

Standard



External Corner Detail No 1
Square Box

Deluxe



External Corner Detail No 3
1/4 Round



External Corner Detail No 5
Small Round



External Corner Detail No 2
Square



External Corner Detail No 4
Round

Standard Details




Typical Vertical Section



Soffit Detail No1



Head Detail No1
Door or Window



Sill & Jamb Detail No1
Door or Window



Base Detail No1

Deluxe Details




Typical Vertical Section



Soffit Detail No2



Head Detail No2
Door or Window



Sill & Jamb Detail No2
Door or Window



Base Detail No2



Sales
0800 737 663



free fax order line
0800 273 766



Branch Address

Auckland
9 Neil Park Drive
East Tamaki
Phone (09) 271 0681
Fax (09) 271 0684

Milton
332 Union Street
Phone (03) 417 7245
Fax (03) 417 7283

Invercargill
120 Bond Street
Phone (03) 214 5544
Fax (03) 214 5577

Christchurch
127 Wrights Road
Phone (03) 338 0013
Fax (03) 338 0791

Dunedin
26 Fox Street
Phone (03) 479 0658
Fax (03) 455 4196

Cromwell
1 McNulty Road
Phone (03) 445 3303
Fax (03) 445 3304

Queenstown
PO Box 437
Phone (03) 442 2202
Fax (03) 442 2204

e-mail : info@calstewart.co.nz
web www.roofer.co.nz

Calder **Stewart**
Roofing

wall cladding flashings 1/11/2002
page 3 of 3